

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A method comprising:

establishing a conference call between a plurality of users, including an initiating user;

ascertaining identities of a plurality of destination devices for an audio stream corresponding to the conference call, the destination devices corresponding to the plurality of users;

providing the audio stream to the plurality of destination devices;

storing ~~data contained in~~ the audio stream; and

selectively deleting the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call.

2. (Original) The method of claim 1, wherein establishing a conference call comprises:

detecting a conference call event that was previously configured by the initiating user; and

contacting the plurality of users.

3. (Original) The method of claim 2, wherein establishing a conference call further comprises:

receiving at least one response from the plurality of users; and
bridging calls to devices corresponding to the plurality of users based on the at least one received response.

4. (Original) The method of claim 1, wherein ascertaining identities of a plurality of destination devices comprises:

retrieving information pertaining to the plurality of users; and
determining the plurality of destination devices based on the retrieved information.

5. (Original) The method of claim 1, wherein providing the audio stream comprises:

connecting an audio digitizing device onto the conference call;
digitizing analog audio corresponding to the conference call;
converting the digitized audio to the audio stream; and
sending the audio stream to the plurality of destination devices.

6. (Currently Amended) The method of claim 1, wherein storing ~~data contained in~~ the audio stream comprises:

recording data contained in the audio stream in a central storage area.

7. (Currently Amended) The method of claim 6, wherein storing ~~data contained in~~ the audio stream further comprises:

recording data contained in the audio stream local to at least one of the plurality of destination devices.

8. (Currently Amended) The method of claim 1, wherein storing ~~data contained in~~ the audio stream comprises:

recording data contained in the audio stream local to at least one of the plurality of destination devices.

9. (Currently Amended) The method of claim 12, wherein replaying a selected portion comprises:

playing a section of the stored audio stream ~~data~~ for a user-selected period of time.

10. (Previously Presented) The method of claim 12, wherein replaying the selected portion comprises:

playing the selected portion at a user-selected speed.

11. (Currently Amended) The method of claim 12, wherein replaying the selected portion comprises:

playing a section of the stored audio stream ~~data~~ for a user-selected period of time at a user-selected speed.

12. (Previously Presented) The method of claim 1, further comprising:

replaying, at at least one of the destination devices, a selected portion of the audio stream.

13. (Previously Presented) The method of claim 1, wherein selectively deleting comprises:

deleting any stored audio stream data local to a user exiting the conference call based on a determination that the exiting user chooses a delete option; and

saving any stored audio stream data local to the exiting user based on a determination that the exiting user chooses a save option.

14. (Previously Presented) The method of claim 12, wherein replaying the selected portion comprises:

playing a section of the audio stream upon recognizing a name associated with a user.

15. (Currently Amended) The method of claim 1, wherein storing ~~data contained in~~ the audio stream comprises:

recording ~~data contained in~~ the audio stream upon recognizing a name associated with a user.

16. (Previously Presented) A method comprising:
establishing a conference call between a plurality of users, including an initiating user;

identifying a plurality of destination devices for an audio stream corresponding to the conference call, the destination devices corresponding to the plurality of users;
providing the audio stream to at least one of the identified destination devices; and
storing data contained in the audio stream; and
creating a text transcription of at least a portion of the stored audio stream data, wherein the audio stream is sent to a first destination device associated with one of the plurality of users invited to the conference call who declines to participate in the conference call.

17. (Previously Presented) The method of claim 16, wherein providing the audio stream comprises:

sending the audio stream to at least one of the identified destination devices based on a request from a corresponding user.

18. (Previously Presented) The method of claim 16, wherein storing data contained in the audio stream comprises:

recording data contained in the audio stream local to at least one of the identified destination devices based on a request from a corresponding user.

19. (Previously Presented) The method of claim 17, wherein storing data contained in the audio stream comprises:

recording data contained in the sent audio stream local to at least one of the identified destination devices based on a request from the corresponding user.

20. (Original) The method of claim 16, wherein storing data contained in the audio stream comprises:

recording data contained in the audio stream in a central storage area.

21. (Previously Presented) The method of claim 20, wherein providing the audio stream comprises:

downloading the audio stream data to at least one of the identified destination devices based on a request from a corresponding user.

22. (Previously Presented) The method of claim 16, further comprising replaying a selected portion of the stored audio stream data, wherein replaying the selected portion comprises:

downloading audio stream data corresponding to the selected portion to at least one of the identified destination devices; and

playing the downloaded audio stream data.

23. (Currently Amended) A method comprising:

establishing a conference call between a plurality of users, including an initiating user;

ascertaining identities of a plurality of destination devices for a stream corresponding to the conference call, the destination devices corresponding to the plurality of users;

providing the stream to the plurality of destination devices;

storing ~~data contained in~~ the stream;

replaying, at at least one of the destination devices, a selected portion of the stream;

determining whether a user has exited the conference call; and

selectively deleting the stored stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call.

24. (Currently Amended) A method comprising:

establishing a conference call between a plurality of users, including an initiating user;

providing an audio stream corresponding to the conference call to a plurality of destination devices, the destination devices corresponding to the plurality of users;

storing ~~data contained in~~ the audio stream; and

selectively deleting the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call.

25. (Original) The method of claim 24, wherein establishing a conference call comprises:

detecting a conference call event that was previously configured by the initiating user; and

contacting the plurality of users.

26. (Previously Presented) The method of claim 24, further comprising:
retrieving information pertaining to the plurality of users; and
determining the plurality of destination devices based on the retrieved information.

27. (Original) The method of claim 24, wherein providing the audio stream comprises:

converting digitized audio corresponding to the conference call to the audio stream; and

sending the audio stream to the plurality of destination devices.

28. (Currently Amended) The method of claim 24, wherein storing the audio stream ~~data~~ comprises:

recording the audio stream ~~data~~ in a central storage area.

29. (Currently Amended) The method of claim 28, wherein storing the audio stream ~~data~~ further comprises:

recording the audio stream ~~data~~ local to at least one of the plurality of destination devices.

30. (Currently Amended) The method of claim 24, wherein storing the audio stream ~~data~~ comprises:

recording the audio stream ~~data~~ local to at least one of the plurality of destination devices.

31. (Currently Amended) A method comprising:

receiving, from a service center, an audio stream corresponding to a conference call between a plurality of users including an initiating user;

storing ~~data contained in~~ the received audio stream ~~data~~;

determining whether a user has exited the conference call; and

selectively deleting the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call,

wherein the service center establishes the conference call between the plurality of users, ascertains identities of a plurality of destination devices for the audio stream corresponding to the conference call, and provides the audio stream ~~data~~ to the plurality of destination devices.

32. (Currently Amended) The method of claim 31, wherein storing the audio stream ~~data~~ comprises:

recording the audio stream ~~data~~ in a local storage area.

33. (Currently Amended) The method of claim 36, wherein replaying the selected portion comprises:
playing a section of the stored audio stream ~~data~~ for a user-selected period of time.

34. (Previously Presented) The method of claim 36, wherein replaying the selected portion comprises:
playing the selected portion at a user-selected speed.

35. (Currently Amended) The method of claim 36, wherein replaying the selected portion comprises:
playing a section of the stored audio stream ~~data~~ for a user-selected period of time at a user-selected speed.

36. (Currently Amended) The method of claim 31, further comprising:
replaying a selected portion of the audio stream ~~data~~.

37. (Currently Amended) The method of claim 31, wherein selectively deleting comprises:
deleting any stored audio stream ~~data~~ local to a user exiting the conference call based on a determination that the exiting user chooses a delete option; and
saving any stored audio stream ~~data~~ local to the exiting user based on a determination that the exiting user chooses a save option.

38. (Currently Amended) The method of claim 31, wherein storing ~~data-~~
~~contained in~~ the audio stream comprises:

locally recording data contained in the audio stream based on a request from a
user.

39. (Currently Amended) The method of claim 31, wherein storing ~~data-~~
~~contained in~~ the audio stream comprises:

downloading audio stream data from a central storage area; and
locally recording the audio stream data.

40. (Previously Presented) The method of claim 36, wherein replaying the
selected portion comprises:

downloading audio stream data corresponding to the selected portion; and
playing the downloaded audio stream data.

41. (Currently Amended) A system comprising:

means for establishing a conference call between a plurality of users, including
an initiating user;

means for ascertaining identities of a plurality of destination devices for an audio
stream corresponding to the conference call, the destination devices corresponding to
the plurality of users;

means for providing the audio stream to the plurality of destination devices;

means for storing data contained in the audio stream;
means for determining whether a user has exited the conference call; and
means for selectively deleting the stored audio stream data, while the conference call is ongoing, based on a determination that a user has exited the conference call.

42. (Original) The system of claim 41, wherein the means for establishing a conference call comprises:

means for detecting a conference call event that was previously configured by the initiating user; and
means for contacting the plurality of users.

43. (Original) The system of claim 42, wherein the means for establishing a conference call further comprises:

means for receiving at least one response from the plurality of users; and
means for bridging calls to devices corresponding to the plurality of users based on the at least one received response.

44. (Original) The system of claim 41, wherein the means for ascertaining identities of a plurality of destination devices comprises:

means for retrieving information pertaining to the plurality of users; and
means for determining the plurality of destination devices based on the retrieved information.

45. (Original) The system of claim 41, wherein the means for providing the audio stream comprises:

- means for connecting an audio digitizing device onto the conference call;
- means for digitizing analog audio corresponding to the conference call;
- means for converting the digitized audio to the audio stream; and
- means for sending the audio stream to the plurality of destination devices.

46. (Currently Amended) The system of claim 41, wherein the means for storing ~~data contained in~~ the audio stream comprises:

- means for recording the audio stream ~~data~~ in a central storage area.

47. (Currently Amended) The system of claim 46, wherein the means for storing ~~data contained in~~ the audio stream further comprises:

- means for recording the audio stream ~~data~~ local to at least one of the plurality of destination devices.

48. (Currently Amended) The system of claim 41, wherein the means for storing ~~data~~ contained in the audio stream comprises:

- means for recording the audio stream ~~data~~ local to at least one of the plurality of destination devices.

49. (Currently Amended) The system of claim 52, wherein the means for replaying the selected portion comprises:

means for playing a section of the stored audio stream ~~data~~ for a user-selected period of time.

50. (Previously Presented) The system of claim 52, wherein the means for replaying the selected portion comprises:

means for playing the selected portion at a user-selected speed.

51. (Currently Amended) The system of claim 52, wherein the means for replaying the selected portion comprises:

means for playing a section of the stored audio stream ~~data~~ for a user-selected period of time at a user-selected speed.

52. (Currently Amended) The system of claim 41, further comprising:

means for replaying, at at least one of the destination devices, a selected portion of the audio stream ~~data~~.

53. (Previously Presented) The system of claim 41, wherein the means for selectively deleting comprises:

means for deleting any audio stream data stored local to a user exiting the conference call based on a determination that the exiting user chooses a delete option;
and

means for saving any audio stream data stored local to the exiting user based on a determination that the exiting user chooses a save option.

54. (Previously Presented) The system of claim 52, wherein the means for replaying the selected portion comprises:

means for playing a section of the audio stream upon recognizing a name associated with a user.

55. (Currently Amended) The system of claim 41, wherein the means for storing ~~data contained in~~ the audio stream comprises:

means for recording ~~data contained in~~ the audio stream upon recognizing a name associated with a user.

56. (Previously Presented) A system comprising:

means for establishing a conference call between a plurality of users, including an initiating user;

means for identifying a plurality of destination devices for an audio stream corresponding to the conference call, the destination devices corresponding to the plurality of users;

means for providing the audio stream to at least one of the identified destination devices; and

means for storing data contained in the audio stream; and

means for creating a text transcription of at least a portion of the stored audio stream data,

wherein the audio stream is sent to a first destination device associated with one of the plurality of users invited to the conference call who declines to participate in the conference call.

57. (Previously Presented) The system of claim 56, wherein the means for providing the audio stream comprises:

means for sending the audio stream to at least one of the identified destination devices based on a request from a corresponding user.

58. (Previously Presented) The system of claim 56, wherein the means for storing data contained in the audio stream comprises:

means for recording data contained in the audio stream local to at least one of the identified destination devices based on a request from a corresponding user.

59. (Previously Presented) The system of claim 57, wherein the means for storing data contained in the audio stream comprises:

means for recording data contained in the sent audio stream local to at least one of the identified destination devices based on a request from the corresponding user.

60. (Original) The system of claim 56, wherein the means for storing data contained in the audio stream comprises:

means for recording data contained in the audio stream in a central storage area.

61. (Previously Presented) The system of claim 60, wherein the means for providing the audio stream comprises:

means for downloading the audio stream data to at least one of the identified destination devices based on a request from a corresponding user.

62. (Previously Presented) The system of claim 56, further comprising means for replaying a selected portion of the stored audio stream data, wherein the means for replaying the selected portion comprises:

means for downloading audio stream data corresponding to the selected portion to at least one of the identified destination devices; and

means for playing the downloaded audio stream data.

63. (Currently Amended) A system comprising:

means for establishing a conference call between a plurality of users, including an initiating user;

means for ascertaining identities of a plurality of destination devices for a stream corresponding to the conference call, the destination devices corresponding to the plurality of users;

means for providing the stream to the plurality of destination devices;

means for storing ~~data contained in~~ the stream;

means for determining whether a user has exited the conference call; and

means for selectively deleting the stored stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call.

64. (Currently Amended) An apparatus comprising:

means for establishing a conference call between a plurality of users, including an initiating user;

means for providing an audio stream corresponding to the conference call to a plurality of destination devices, the destination devices corresponding to the plurality of users;

means for storing ~~data contained in~~ the audio stream;

means for determining whether a user has exited the conference call; and

means for selectively deleting the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call.

65. (Original) The apparatus of claim 64, wherein the means for establishing a conference call comprises:

means for detecting a conference call event that was previously configured by the initiating user; and

means for contacting the plurality of users.

66. (Previously Presented) The apparatus of claim 64, further comprising:

means for retrieving information pertaining to the plurality of users; and

means for determining the plurality of destination devices based on the retrieved information.

67. (Original) The apparatus of claim 64, wherein the means for providing the audio stream comprises:

means for converting digitized audio corresponding to the conference call to the audio stream; and

means for sending the audio stream to the plurality of destination devices.

68. (Currently Amended) The apparatus of claim 64, wherein the means for storing the audio stream data comprises:

means for recording the audio stream data in a central storage area.

69. (Currently Amended) The apparatus of claim 68, wherein the means for storing the audio stream data further comprises:

means for recording the audio stream data local to at least one of the plurality of destination devices.

70. (Currently Amended) The apparatus of claim 64, wherein the means for storing the audio stream data comprises:

means for recording the audio stream data local to at least one of the plurality of destination devices.

71. (Currently Amended) An apparatus comprising:

means for receiving, from a service center, an audio stream corresponding to a conference call between a plurality of users including an initiating user;

means for storing ~~data contained in~~ the received audio stream;
means for determining whether a user has exited the conference call; and
means for selectively deleting the stored audio stream ~~data~~ based on a determination that a user has exited the conference call, while the conference call is ongoing,

wherein the service center establishes the conference call between the plurality of users, ascertains identities of a plurality of destination devices for the audio stream corresponding to the conference call, and provides the audio stream to the plurality of destination devices.

72. (Currently Amended) The apparatus of claim 71, wherein the means for storing the audio stream ~~data~~ comprises:

means for recording the audio stream ~~data~~ in a local storage area.

73. (Currently Amended) The apparatus of claim 76, wherein means for replaying the selected portion comprises:

means for playing a section of the stored audio stream ~~data~~ for a user-selected period of time.

74. (Previously Presented) The apparatus of claim 76, wherein the means for replaying the selected portion comprises:

means for playing the selected portion at a user-selected speed.

75. (Currently Amended) The apparatus of claim 76, wherein the means for replaying the selected portion comprises:

means for playing a section of the stored audio stream ~~data~~ for a user-selected period of time at a user-selected speed.

76. (Currently Amended) The apparatus of claim 71, further comprising:

means for replaying a selected portion of the audio stream ~~data~~.

77. (Previously Presented) The apparatus of claim 71, wherein the means for selectively deleting comprises:

means for deleting any audio stream data stored local to a user exiting the conference call based on a determination that the exiting user chooses a delete option; and

means for saving any audio stream data stored local to the exiting user based on a determination that the exiting user chooses a save option.

78. (Currently Amended) The apparatus of claim 71, wherein the means for storing ~~data contained in~~ the audio stream comprises:

means for locally recording data contained in the audio stream based on a request from a user.

79. (Currently Amended) The apparatus of claim 71, wherein the means for storing ~~data contained in~~ the audio stream comprises:

means for downloading audio stream ~~data~~ from a central storage area; and
means for locally recording the audio stream ~~data~~.

80. (Currently Amended) The apparatus of claim 76, wherein the means for replaying the selected portion comprises:

means for downloading audio stream ~~data~~ corresponding to the selected portion;
and
means for playing the downloaded audio stream ~~data~~.

81. (Currently Amended) A computer-readable medium containing instructions for performing a method comprising:

establishing a conference call between a plurality of users, including an initiating user;

ascertaining identities of a plurality of destination devices for an audio stream corresponding to the conference call, the destination devices corresponding to the plurality of users;

providing the audio stream to the plurality of destination devices;

storing ~~data contained in~~ the audio stream;

determining whether a user has exited the conference call; and

selectively deleting the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call.

82. (Currently Amended) A computer-readable medium containing instructions for performing a method comprising:

- establishing a conference call between a plurality of users, including an initiating user;
- providing an audio stream corresponding to the conference call to a plurality of destination devices, the destination devices corresponding to the plurality of users;
- storing ~~data contained in~~ the audio stream;
- determining whether a user has exited the conference call; and
- selectively deleting the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call.

83. (Currently Amended) A computer-readable medium containing instructions for performing a method comprising:

- receiving, from a service center, an audio stream corresponding to a conference call between a plurality of users including an initiating user;
- storing ~~data contained in~~ the received audio stream ~~data~~;
- determining whether a user has exited the conference call; and
- selectively deleting the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call,

wherein the service center establishes the conference call between the plurality of users, ascertains identities of a plurality of destination devices for the audio stream corresponding to the conference call, and provides the audio stream to the plurality of destination devices.

84. (Currently Amended) A system comprising:

a service center operable to establish a conference call between a plurality of users, including an initiating user, and to ascertain identities of a plurality of destination devices for an audio stream corresponding to the conference call, the destination devices corresponding to the plurality of users;

an audio streaming server operable to provide the audio stream to the plurality of destination devices; and

a memory that stores ~~data contained in~~ the audio stream,

wherein the stored audio stream ~~data~~ is selectively deleted, while the conference call is ongoing, based on a determination that a user has exited the conference call, and at least one of the destination devices is operable to replay a selected portion of the audio stream ~~data~~, while the conference call is ongoing.

85. (Currently Amended) An apparatus comprising:

a first server operable to establish a conference call between a plurality of users, including an initiating user, and to ascertain identities of a plurality of destination devices for an audio stream corresponding to the conference call, the destination devices corresponding to the plurality of users;

a second server operable to provide the audio stream to the plurality of destination devices; and

a memory that stores ~~data contained in~~ the audio stream,

wherein the stored audio stream ~~data~~ is selectively deleted, while the conference call is ongoing, based on a determination that a user has exited the conference call.

86. (Currently Amended) An apparatus comprising:

a memory having a program that: receives, from a service center, an audio stream corresponding to a conference call between a plurality of users including an initiating user; stores ~~data contained in~~ the received audio stream; replays a selected portion of the audio stream ~~data~~, while the conference call is ongoing; and selectively deletes the stored audio stream ~~data~~, while the conference call is ongoing, based on a determination that a user has exited the conference call, wherein the service center establishes the conference call between the plurality of users, ascertains identities of a plurality of destination devices for the audio stream corresponding to the conference call, and provides the audio stream to the plurality of destination devices; and

a processor that runs the program.